

Papers

2018

Kempe, J., 2018, Population characteristics of a closed northern pike (*Esox lucius*) catch-and-release population in Minnesota: MS thesis, Bemidji State University, Bemidji, MN, 60 p.

2017

Andreasen, M., Rosenberry, D.O., and Stannard, D.I., 2017, Estimating daily lake evaporation from biweekly energy-budget data: *Hydrological Processes*, v. 31, no. 25, p. 4530-4539, doi: 10.1002/hyp.11375.

Soranno, P.A., Bacon, L.C., Beauchene, M., Bednar, K.E., Bissell, E.G., Boudreau, C.K., Boyer, M.G., Bremigan, M.T., Carpenter, S.R., Carr, J.W., Cheruvilil, K.S., Christel, S.T., Claucherty, M., Collins, S.M., Conroy, J.D., Downing, J.A., Dukett, J., Fergus, C.E., Filstrup, C.T., Funk, C., Gonzalez, M.J., Green, L.T., Gries, C., Halfman, J.D., Hamilton, S.K., Hanson, P.C., Henry, E.N., Herron, E.M., Hockings, C., Jackson, J.R., Jacobson-Hedin, K., Janus, L.L., Jones, W.W., Jones, J.R., Keson, C.M., King, K.B.S., Kishbaugh, S.A., Lapierre, J.-F., Lathrop, B., Latimore, J.A., Lee, Y., Lottig, N.R., Lynch, J.A., Matthews, L.J., McDowell, W.H., Moore, K.E.B., Neff, B.P., Nelson, S.J., Oliver, S.K., Pace, M.L., Pierson, D.C., Poisson, A.C., Pollard, A.I., Post, D.M., Reyes, P.O., Rosenberry, D.O., Roy, K.M., Rudstam, L.G., Sarnelle, O., Schuldt, N.J., Scott, C.E., Skaff, N.K., Smith, N.J., Spinelli, N.R., Stachelek, J.J., Stanley, E.H., Stoddard, J.L., Stopyak, S.B., Stow, C.A., Tallant, J.M., Tan, P.-N., Thorpe, A.P., Vanni, M.J., Wagner, T., Watkins, G., Weathers, K.C., Webster, K.E., White, J.D., Wilmes, M.K., and Yuan, S., 2017, LAGOS-NE: A multi-scaled geospatial and temporal database of lake ecological context and water quality for thousands of U.S. lakes: *GigaScience*, v. 6, p. 1-22, doi: 10.1093/gigascience/gix101.

2015

Rosenberry, D.O., Lewandowski, J., Meinikmann, K., and Nützmann, G., 2015, Groundwater - the disregarded component in lake water and nutrient budgets. Part 1: effects of groundwater on hydrology: *Hydrological Processes*, v. 29, no. 13, p. 2895-2921.

2014

Melchior, R.C., 2014, Glacial geology of the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Scientific Investigations Report 2013-5165, 47 p.

2013

- Pierce, R.B., Carlson, A.J., Carlson, B.M., Hudson, D., and Staples, D.F., 2013, Temperatures and depths used by large versus small northern pike in three Minnesota lakes: Minnesota Department of Natural Resources Investigational Report 559, 26 p.
- Rosenberry, D.O., Sheibley, R.W., Cox, S.E., Simonds, F.W., and Naftz, D.L., 2013, Temporal variability of exchange between groundwater and surface water based on high-frequency direct measurements of seepage at the sediment-water interface: *Water Resources Research*, v. 49, no. 5, p. 2975-2986.

2012

- Alexander, S.C. and Saar, M.O., 2012, Improved characterization of small "u" for Jacob pumping test analysis methods: *Ground Water*, vol. 50, no. 2, p. 256-265.
- Barber, L.B., Writer, J.H., Keefe, S.H., Brown, G.K., Ferrey, M.L., Jahns, N.D., Kiesling, R.L., Lundy, J.R., Poganski, B.H., Rosenberry, D.O., Taylor, H.E., Woodruff, O.P., and Schoenfuss, H.L., 2012, Endocrine disrupting chemicals in Minnesota lakes - Water-quality and hydrological data from 2008 and 2010: U.S. Geological Survey Open-File Report 2012-1124, 53 p.
- Dean, W.E. and Doner, L.A., 2012, A Holocene record of endogenic iron and manganese precipitation and vegetation history in a lake-fen complex in northwestern Minnesota: *Journal of Paleolimnology*, DOI 10.1007/s10933-011-9544-7, 14 p.

2011

- Dean, W.E. and Doner, L.A., 2011, A Holocene record of endogenic iron and manganese precipitation, isotopic composition of endogenic carbonate, and vegetation history in a lake-fen complex in northwestern Minnesota: U.S. Geological Survey Open-File Report 2011-1106, 41 p.
- Rosenberry, D.O., Melchior, R.C., Jones, P.M., Streit, A., Barr, K.D., Lee, D.R., and Piegat, J.J., 2011, Groundwater-surface-water exchange and the geologic setting of northern Minnesota's lakes, wetlands, and streams—Modern-day relevance of Tom Winter's legacy, in Miller, J.D., Hudak, G.J., Wittkop, C., and McLaughlin, P.I., eds., *Archean to Anthropocene: Field Guides to the Geology of the Mid-Continent of North America: Geological Society of America Field Guide 24: Boulder*, Geological Society of America, p. 545-585, doi: 10.1130/2011.0024(27e).

2010

Stets, E. G., R. G. Striegl, and G. R. Aiken (2010), Dissolved organic carbon export and internal cycling in small headwater lakes: *Global Biogeochemical Cycles*, vol. 24, GB4008, doi:10.1029/2010GB003815.

Stets, E.G., Winter, T.C., Rosenberry, D.O., and Striegl, R.G., 2010, Quantification of surface water and groundwater flows to open- and closed-basin lakes in a headwaters watershed using a descriptive oxygen stable isotope model: *Water Resources Research*, v. 46, W03515, doi:10.1029/2009WR007793.

Writer, J.H., Barber, L.B., Brown, G.K., Taylor, H.E., Kiesling, R.L., Ferrey, M.L., Jahns, N.D., Bartell, S.E., and Schoenfuss, H.L., 2010, Anthropogenic tracers, endocrine disrupting chemicals, and endocrine disruption in Minnesota lakes: *Science and the Total Environment*, vol. 409, p. 100-111.

2009

Stets, E.G., Striegl, R.G., Aiken, G.R., Rosenberry, D.O., and Winter, T.C., 2009, Hydrologic support of carbon dioxide flux revealed by whole-lake carbon budgets: *Journal of Geophysical Research*, v. 114, p. G01008, doi:10.1029/2008JG000783.

2008

Hendricks, S.P., Duff, J.H., Triska, F.J., and Jackman, A.P., 2008, Bacterial biomass and productivity within different subsurface hydrologic environments of a sandy, low elevation river in north-central Minnesota, USA: *Verhandlungen - Internationale Vereinigung fuer Theoretische und Angewandte Limnologie*, v. 30, no. 2, p. 203-212.

LaBaugh, J.W. and Rosenberry, D.O., 2008, Introduction and Characteristics of flow, in Rosenberry, D.O. and LaBaugh, J.W., eds., *Field techniques for estimating water fluxes between surface water and ground water: U.S. Geological Survey Techniques and Methods 4-D2*, p. 1-38.

Nelson, D.M. and Hu, F.S., 2008, Patterns and drivers of Holocene vegetational change near the prairie–forest ecotone in Minnesota: revisiting McAndrews' transect: *New Phytologist*, vol. 179, p. 449-459.

Triska, F.J., Duff, J.H., Jackman, A.P., and Avanzino, R.J., 2008, Nutrient chemistry, transformation and release in riparian groundwater seep discharge during the final meter of subsurface transport, Minnesota, USA: *Verhandlungen - Internationale Vereinigung fuer Theoretische und Angewandte Limnologie*, v. 30, no. 3, p. 435-440.

2007

- Delin, G.N., Healy, R.W., Lorenz, D.L., and Nimmo, J.R., 2007, Comparison of local- to regional-scale estimates of ground-water recharge in Minnesota, USA: *Journal of Hydrology*, v. 334, p. 231-249.
- Duff, J.H., Jackman, A.P., Triska, F.J., Sheibley, R.W., and Avanzino, R.J., 2007, Nitrate retention in riparian ground water at natural and elevated nitrate levels in north central Minnesota: *Journal of Environmental Quality*, v. 36, p. 343-353.
- Nelson, D.M., Ohene-Adjei, S., Hu, F.S., Cann, I.K.O., and Mackie, R.I., 2007, Bacterial diversity and distribution in the Holocene sediments of a northern temperate lake: *Microbial Ecology*, vol. 54, p. 252-263.
- Person, M., Prasenjit, R., Wright, H., Gutowski Jr., W., Ito, E., Winter, T., Rosenberry, D., Cohen, D., 2007, Hydrologic response of the Crow Wing Watershed, Minnesota, to mid-Holocene climate change: *GSA Bulletin*, vol. 119, no. 3-4, p. 363-376.
- Triska, F.J., Duff, J.H., Sheibley, R.W., Jackman, A.P., and Avanzino, R.J., 2007, DIN retention-transport through four hydrologically connected zones in a headwater catchment of the upper Mississippi River: *Journal of the American Water Resources Association*, v. 43, no. 1, p. 60-71.

2006

- Reddy, M.M., Schuster, P., Kendall, C., and Reddy, M.B., 2006, Characterization of surface and ground water $\delta^{18}\text{O}$ seasonal variation and its use for estimating groundwater residence times: *Hydrological Processes*, v. 20, no. 8, p. 1753-1772.
- Tian, J., Nelson, D.M., Hu, F.S., 2006, Possible linkages of late-Holocene drought in the North American mid-continent to Pacific decadal oscillation and solar activity: *Geophysical Research Letters*, vol. 33, no. L23702, doi:10.1029/2006GL028169.

2005

- Anesio, A.M., Graneli, W., Aiken, G.R., Kieber, D.J., and Mopper, K., 2005, Effect of humic substance photodegradation on bacterial growth and respiration in lake water: *Applied and Environmental Microbiology*, v. 71, no. 10, p. 6267-6275.
- Rosenberry, D.O., 2005, Integrating seepage heterogeneity with the use of ganged seepage meters: *Limnology and Oceanography: Methods*, vol. 3, p. 131-142.

Tian, J., Brown, T.A., and Hu, F.S., 2005, Comparison of varve and ¹⁴C chronologies from Steel Lake, Minnesota, USA: *The Holocene*, vol. 15, no. 4, p. 510-517.

Winter, T., Rosenberry, D., Kelly, E., and LaBaugh, J., 2005, Comparison of wetlands in different hydrogeological settings under conditions of extreme climate variability: : in Heathwaite, L., Webb, B., Rosenberry, D., Weaver, D. and Hayashi, M., eds., *Dynamics and Biogeochemistry of River Corridors and Wetlands*, International Association of Hydrological Sciences IAHS Publication 294, p. 139-147.

2004

Nelson, D.M., Hu, F.S., Tian, J., Stefanova, I, and Brown, T.A., 2004, Response of C3 and C4 plants to middle-Holocene climatic variation near the prairie-forest ecotone of Minnesota: *Proceedings of the National Academy of Sciences*, vol. 101, no. 2, p. 562-567.

Rosenberry, D.O., Stannard, D.I., Winter, T.C., and Martinez, M.L., 2004, Comparison of 13 equations for determining evapotranspiration from a prairie wetland, Cottonwood Lake area, North Dakota, USA, *Wetlands*, vol. 24, no. 3, p. 483-497.

Wright, H.E. Jr., Stefanova, I., Tian, J., Brown, T.A., and Hu, F.S., 2004, A chronological framework for the Holocene vegetational history of central Minnesota: the Steel Lake pollen record: *Quaternary Science Reviews*, vol. 23, p. 611-626.

2003

Dean, W.E., Neff, B.P., Rosenberry, D.O., Winter, T.C., and Parkhurst, R.S., 2003, The significance of ground water to the accumulation of iron and manganese in the sediments of two hydrologically distinct lakes in north central Minnesota: a geological perspective: *Ground Water*, v. 41, n. 7, p. 951-963.

Filby, S.K., Locke, S.M., Person, M.A., Winter, T.C., Rosenberry, D.O., Nieber, J.L., Gutowski, W.J., and Ito, E., 2003, Mid-Holocene hydrologic model of the Shingobee watershed, Minnesota: *Quaternary Research*, vol. 58, p. 246-254.

Geiss, C.E., Umbanhowar, C.E., Camill, P., and Banerjee, S.K., 2003, Sediment magnetic properties reveal Holocene climate change along the Minnesota prairie-forest ecotone: *Journal of Paleolimnology*, vol. 30, p. 151-166.

Rosenberry, D.O., Dean, W.E., Duff, J.H., LaBaugh, J.W., Reddy, M.M., Schuster, P.S., Striegl, R.G., Triska, F.J., and Winter, T.C., 2003, Exchange of water, solutes, and nutrients at the sediment-water interface affects a northern Minnesota watershed at

multiple scales: Proceedings of The First Interagency Conference on Research in the Watersheds, U.S. Department of Agriculture, Agricultural Research Service, Benson, Arizona, October 27-30, 2003, p. 468-473.

Schwalb, A., 2003, Lacustrine ostracodes as stable isotope recorders of late-glacial and Holocene environmental dynamics and climate: *Journal of Paleolimnology*, v. 29, no. 3, p. 267-351.

Sheibley, R.W., Jackman, A.P., Duff, J.H. and Triska, F.J., 2003, Numerical modeling of nitrification-denitrification in sediment perfusion cores from the hyporheic zone of the Shingobee River, Minnesota: *Advances in Water Resources*, v. 26, p. 977-987.

Sheibley, R.W., Duff, J.H., Jackman, A.P. and Triska, F.J. 2003, Inorganic nitrogen transformations in the bed of the Shingobee River, Minnesota: Integrating hydrologic and biologic processes using perfusion cores: *Limnology and Oceanography*, vol. 48, no. 3, p. 1129-1140.

Winter, T.C., Rosenberry, D.O. and LaBaugh, J.W., 2003, Where does the ground water in small watersheds come from?: *Ground Water*, v. 7 p. 989-1000.

Wright, H.E. Jr. and Stefanova, I., 2003, Holocene vegetational changes in Minnesota, midwestern United States: *Phytologia Balcanica*, vol. 9, no. 2, p. 249-254.

2002

Dean, W.E. and Schwalb, A., 2002, The lacustrine carbon cycle as illuminated by the waters and sediments of two hydrologically distinct hardwater lakes in north-central Minnesota, U.S.A.: *Journal of Sedimentary Research*, vol. 72, no. 3, p. 416-431.

Duff, J.H., Hendricks, S.P., Jackman, A.P., and Triska, F.J., 2002, The effect of *Elodea canadensis* beds on porewater chemistry, microbial respiration, and nutrient retention in the Shingobee River, Minnesota, North America: *Verhandlungen Internationale Vereinigen Limnologie*, v. 28, p. 214-222.

Kishel, H.F. and P.J. Gerla. 2002. Characteristics of preferential flow and groundwater discharge to Shingobee Lake, Minnesota, USA. *Hydrological Processes*, v. 16, #10, p. 1921-1934.

Schuster, P.F., Reddy, M.M., LaBaugh, J.W., Parkhurst, R.S., Rosenberry, D.O., Winter, T.C., Antweiler, R.C., and Dean, W.E., 2002, Characterization of lake water and ground water movement in the littoral zone of Williams Lake, a closed-basin lake in north central Minnesota: *Hydrological Processes*, vol. 17, p. 823-838.

Schwalb, A. and Dean, W.E., 2002, Reconstruction of hydrological changes and effective moisture from North-Central USA lake sediments: *Quaternary Science Reviews*, v. 21, p. 1541-1554.

2001

McKnight, D.M., Boyer, E.W., Westerhoff, P.K., Doran, P.T., Kulbe, T., and Andersen, D.T., 2001, Spectrofluorometric characterization of dissolved organic matter for indication of precursor organic material and aromaticity: *Limnology and Oceanography*, vol. 46, no. 1, p. 38-48.

Striegl, R.G., Kortelainen, P., Chanton, J.P., Wickland, K.P., Bugna, G.C., and Rantakari, M., 2001, Carbon dioxide partial pressure and ¹³C content of north temperate and boreal lakes at spring ice melt: *Limnology and Oceanography*, vol. 46, no. 4, p. 941-945.

Winter, T.C., Rosenberry, D.O., Buso, D.C., and Merk, D.A., 2001, Water source to four U.S. wetlands: implications for wetland management: *Wetlands*, v. 21, no. 4, p. 462-473.

Winter, T.C., 2001, The concept of hydrologic landscapes: *Journal of American Water Resources Association*, v. 37(2), p. 335-349. (also reprinted by the United Nations Economic and Social Commission for Asia and the Pacific: *Water Resources Journal*, ST/ESCAP/Ser.C/211, p. 25-41.)

2000

Duff, J.H., Toner, B., Jackman, A.P., Avanzino, R.J., and Triska, F.J., 2000, Determination of groundwater discharge into a sand and gravel bottom river: a comparison of chloride dilution and seepage meter techniques, *Verh. Internat. Verein. Limnol.*, vol. 27, p. 406-411.

Duff, J.H. and Triska, F.J., 2000, Nitrogen biogeochemistry and surface-subsurface exchange in streams, In (Eds) Jones, J.B. and Mulholland, P.J., *Streams and Ground Waters*, Academic Press, San Diego, CA, p. 197-220.

LaBaugh, J.W., Winter, T.C., and Rosenberry, D.O., 2000, Comparison of the variability in fluxes of ground water and solutes in lakes and wetlands in central North America: *Verhandlungen InternationaleVereinigungen Limnologie*, v. 27, p. 420-426.

Rosenberry, D.O., Striegl, R.G., and Hudson, D.C., 2000, Plants as indicators of focused ground water discharge to a northern Minnesota lake: *Ground Water*, v. 38, no. 2, p. 296-303.

Rosenberry, D.O., 2000, Unsaturated zone wedge beneath a large, natural lake: *Water Resources Research*, vol. 36, no. 12, p. 3401-3409.

Striegl, R.G., Schindler, J.E., Wickland, K.P., Hudson, D.C., and Knight, G., 2000, Patterns of carbon dioxide and methane saturation in 34 Minnesota and Wisconsin Lakes: *Verh. Internat. Verein. Limnol.*, vol. 27, p. 1424-1427.

Triska, F.J., Jackman, A.P., Duff, J.H., and Avanzino, R.J., 2000, Sub channel flow velocity and dispersion beneath a relict beaver dam, Shingobee River, Minnesota, USA: implications for nutrient cycling, *Verh. Internat. Verein. Limnol.*, vol. 27, p. 463-467.

Winter, T.C., Mallory, S.E., Allen, T.R., and Rosenberry, D.O., 2000, The use of principal-component analysis for interpreting ground-water hydrographs: *Ground Water*, v. 38, no. 2, p. 234-246.

1999

Anderson, D.E., Striegl, R.G., Stannard, D.I., Michmerhuizen, C.M., McConnaughey, T.A., and LaBaugh, J.W., 1999, Estimating lake-atmosphere CO₂ exchange: *Limnology and Oceanography*, vol. 44, no. 4, p. 988-1001.

Dean, W.E., 1999, Magnitude and significance of carbon burial in lakes, reservoirs, and northern peatlands: U.S. Geological Survey Fact Sheet FS-058-99, 2p.

Dean, W.E., 1999, The carbon cycle and biogeochemical dynamics in lake sediments: *Journal of Paleolimnology*, vol. 21, p. 375-393.

Dean, W. E., 1999, Evidence of climate change over the last 10,000 years from the sediments of lakes in the Upper Mississippi Basin: U.S. Geological Survey, Fact Sheet 059-99. 2p.

Gerla, P.G., 1999, Estimating the ground-water contribution in wetlands using modeling and digital terrain analysis: *Wetlands*, vol. 19, no. 2, p. 394-402.

1998

Dean, W.E. and Gorham, E., 1998, Magnitude and significance of carbon burial in lakes, reservoirs, and peatlands: *Geology*, vol. 26, p. 535-538.

Duff, J.H., Murphy, F., Harvey, J.W., Fuller, C.C., Jackman, A.P. and Triska, F.J., 1998, A mini drivepoint sampler for measuring streambed porewater concentration gradients: *Limnology and Oceanography*, vol. 43, p. 1378-1383.

Rosenberry, D.O., 1998, Watershed-scale research from many perspectives -- the Interdisciplinary Research Initiative at the Shingobee River headwaters area, Minnesota: U.S. Geological Survey Fact Sheet 044-98, 4p.

Striegl, R.G., and Michmerhuizen, C.M., 1998, Hydrologic influence on methane and carbon dioxide dynamics at two north-central Minnesota lakes: *Limnology and Oceanography*, vol. 43, p. 1519-1529.

1997

Aiken, G.R. and McKnight, D.M., 1997, The influence of hydrologic factors on the characteristics of organic matter in the Williams and Shingobee Lakes systems: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota*: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 71-76.

Anderson, D.E., Stannard, D.I., Striegl, R.G., and McConnaughey, T.A., 1997, The exchanges of carbon dioxide and water vapor between Williams Lake and the atmosphere: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota*: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 31-40.

Averett, R.C. and Winter, T.C., 1997, History and status of the Interdisciplinary Research Initiative in the Shingobee River headwaters area, Minnesota: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota*: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 1-2.

Carter, V., Locke, S.M., McConnaughey, T.A., and Winter, T.C., 1997, Stratigraphy and biological characteristics of sediments in the Little Shingobee fen: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota*: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 193-198.

Carter, V., Gammon, P.T. and Rybicki, N.B., 1997, Vegetation of the Little Shingobee fen: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota*: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 161-166.

Carter, V., Rybicki, N.B., Striegl, R.G., and Gammon, P.T., 1997, The aquatic macrophytes in Williams and Shingobee Lakes, implications for carbon cycling: in Winter, T.C., ed.,

Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 83-88.

Cloern, J.E., Alpine, A.E, and Cole, B.E., 1997, Seasonal comparisons of seston abundance and sedimentation rate in a closed basin lake (Williams) and an open-basin lake (Shingobee): in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 111-116.

Cole, B.E., Cloern, J.E. and Alpine, A.E., 1997, The photosynthetic response of phytoplankton in Shingobee Lake and Williams Lake: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 105-110.

Dean, W.E. and Bradbury, J.P., 1997, Transects of organic carbon, calcium carbonate, and diatoms in surface sediments of Williams and Shingobee Lakes: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 117-130.

Duff, J.H., Triska, F.J., Jackman, A.P. and LaBaugh, J.W., 1997, The influence of streambed sediments on the solute chemistry of ground-water discharge in the upper Shingobee River: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 143-148.

Hostetler, S.W., 1997, Modeling temperature and evaporation of Williams Lake: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 25-30.

Jackman, A.P., Triska, F.J., Duff, J.H., 1997, Hydrologic examination of ground-water discharge in the upper Shingobee River: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 137-142.

- Kendall, C., Evans, W.C., Reddy, M.M. and Schuster, P.F., 1997, Applications of stable isotopes in the Shingobee River headwaters area : in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 63-70.
- LaBaugh, J.W., Winter, T.C., Rosenberry, D.O., Schuster, P.F., Reddy, M.M., and Aiken, G.R., 1997, Hydrological and chemical estimates of the water balance of a closed-basin lake in north-central Minnesota: *Water Resources Research*, v. 33, p 2799-2812.
- LaBaugh, J.W., 1997, Chemical fluxes between Williams and Shingobee Lakes and their watersheds, in Winter, T.C., (ed.) *Hydrological and Biogeochemical Research in the Shingobee River Headwaters Area, North-Central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215*, p. 55-58.
- LaBaugh, J.W., 1997, The plankton communities of Shingobee and Williams Lakes, in Winter, T.C., (ed.) *Hydrological and Biogeochemical Research in the Shingobee River Headwaters Area, North-Central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215*, p.97-104.
- Locke, S.M., and Schwalb, A., 1997, Sediment stratigraphy and paleolimnological characteristics of Williams and Shingobee Lakes: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215*, p. 187-192.
- McConnaughey, T.A., LaBaugh, J.W., Schuster, P.F., Carter, V., Striegl, R.G., Reddy, M.M., and Rosenberry, D.O., 1997, Calcification promotes macrophyte photosynthesis in Williams Lake: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: Geological Survey Water Resources Investigations Report 96-4215*, p. 89-96.
- Mooers, H.D. and Norton, A.R., 1997, Glacial landscape evolution of the Itasca/St. Croix moraine interlobate area, including the Shingobee River headwaters area: in Winter, T.C., ed., *Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215*, p. 3-10.
- Puckett, L.J., Carter, V., Rosenberry, D.O., and Merk, D.A., 1997, Ground-water, surface-water interactions and biogeochemistry of the Little Shingobee fen: in Winter, T.C., ed.,

Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 167-176.

Reddy, M.M., Schuster, P.F., Puckett, L.J. and Meyers, T.P., 1997, Atmospheric input to the Shingobee River headwaters area: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 47-54.

Robbins, E.I., LaBaugh, J.W., Merk, D.A., Parkhurst, R.S., Puckett, L.J., Rosenberry, D.O., Schuster, P.F., Shelito, P.A., and Soteroplos, T.P., 1997, Bacterial clues to ground water discharge sites: iron seeps in the Shingobee and Crow Wing Watersheds, Northern Minnesota: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 177-186.

Rosenberry, D.O., Winter, T.C., Merk, D.A., Leavesley, G.H. and Beaver, L.D., 1997, Hydrology of the Shingobee River headwaters area, Minnesota: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 19-23.

Stannard, D.I., Anderson, D.E., and Rosenberry, D.O., 1997, Problems in comparing short-term eddy-correlation and energy-balance measurements of evaporation from Williams Lake: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 41-46.

Striegl, R.G. and Michmerhuizen, C.M., 1997, Methane emission from Minnesota and Wisconsin lakes following ice melt: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 77-82.

Triska, F.J., Duff, J.H., Avanzino, R.J. and Jackman, A.P., 1997, Physical and chemical properties of waters at the interface between a bankside ground-water seep and the channel of the Shingobee River: A preliminary analysis under base-flow conditions: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical

research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 149-154.

Triska, F.J. and Duff, J.H., 1997, Sediment-associated nitrification and denitrification potentials at the interface between a bankside ground-water seep and the channel of the Shingobee River: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 155-160.

Striegl, R.G., Michmerhuizen, C.M., and McDonald, M.A., 1997, Fish communities of Williams and Shingobee Lakes: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 131-136.

van Geen, A., 1997, Comparison of dissolved trace metal concentrations in selected lakes in Minnesota (pH ~ 8-9) and New York (pH ~ 5-7): in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 59-62.

Winter, T.C. and Rosenberry, D.O., 1997, Physiographic and geologic characteristics of the Shingobee River headwaters area: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 11-17.

Winter, T.C., ed., 1997, Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, 210 p. Winter, T.C., 1997, Summary and opportunities for additional research in the Shingobee River Headwaters Area: in Winter, T.C., ed., Interdisciplinary Research Initiative: hydrological and biogeochemical research in the Shingobee River headwaters area, north-central Minnesota: U.S. Geological Survey Water Resources Investigations Report 96-4215, p. 199-206.

1996

Melchior, R.C. and Annexstad, J.O., 1996, Glaciers and glacial geology of the Leech Lake watershed: Geology Department, Bemidji State University, 69 p.

Michmerhuizen, C.M., Striegl, R.G., and McDonald, M.A., 1996, Methane emission from north temperate lakes following ice melt: accepted by Limnology and Oceanography.

1995

Aiken, G. and Cotsaris, E., 1995, Soil and hydrology: their effect on NOM: Journal of the American Water Works Association, vol. 87, p. 36-45.

LaBaugh, J.W., Rosenberry, D.O. and Winter, T.C., 1995, Groundwater contribution to the water and chemical budgets of Williams Lake, Minnesota, 1980-1991: Canadian Journal of Fisheries and Aquatic Science, v. 52, no. 4, p. 754-767.

LaBaugh, J.W., 1995, Relation of algal biovolume to chlorophyll at in selected lakes and wetlands in the north-central United States: Canadian Journal of Fisheries and Aquatic Sciences, Volume 52, p. 416-424.

Schwalb, A., Locke, S. M. & Dean, W. E., 1995, Ostracode $\delta^{18}O$ and $\delta^{13}C$ evidence of Holocene environmental changes in the sediments of two Minnesota lakes: Journal of Paleolimnology, vol. 14, p 281-296.

Striegl, R.G. and Michmerhuizen, C.M., 1995, Springtime loss of methane from north temperate lakes to the atmosphere: in Carter, L.M.H., ed., Energy and the Environment - Application of Geosciences to Decision Making: U.S. Geological Survey Circular 1108, p. 84-87.

Winter, T.C., Rosenberry, D.O. and Sturrock, A.M., 1995, Evaluation of 11 equations for determining evaporation for a small lake in the north central United States: Water Resources Research, v. 31, no. 4, p. 983-993.

1994

McConnaughey, T.A., LaBaugh, J.W., Rosenberry, D.O., Striegl, R.G., Reddy, M.M., Schuster, P.F., and Carter, V., 1994, Carbon budget for a groundwater-fed lake: calcification supports summer photosynthesis: Limnology and Oceanography, v. 39 no. 6, p. 1319-1332.

1993

Carter, V., Gammon, P.T., Rosenberry, D.O. and Turtora, M., 1993, Aquatic macrophytes and selected physical properties of Shingobee and Williams Lakes, Minnesota, 1991-92: U.S. Geological Survey Open-File Report 93-143, 41p.

Hondzo, M., and Stefan, H.G., 1993, Lake water temperature simulation model: Journal of Hydraulic Engineering, v. 119, no. 11, p. 1251-1273.

Parkhurst, R.S., Merk, D.A., Rosenberry, D.O., and Winter, T.C., 1993, Climatic data for Shingobee Lake and Williams Lake, Hubbard County, Minnesota 1989-91: U.S. Geological Survey Open File Report 93-127, 34p.

Rosenberry, D.O., Sturrock, A.M., and Winter, T.C., 1993, Evaluation of the energy-budget method of determining evaporation at Williams Lake, Minnesota, using alternative instrumentation and study approaches: Water Resources Research, v. 29, no. 8, p. 2473-2483.

Rosenberry, D.O., LaBaugh, J.W., McConnaughey, T.M., Striegl, R.G. and Winter, T.C., 1993, The interdisciplinary research initiative: hydrologic research in the Shingobee headwaters area, Minnesota: U.S. Geological Survey Open-File Report 93-446, 2p.

1992

Cloern, J.E., Alpine A.E., Cole, B.E., and Heller T., 1992, Seasonal changes in the spatial distribution of phytoplankton in small, temperate-zone lakes: Journal of Plankton Research, v. 14, no. 7, p. 1017-1024.

Parkhurst, R.S., Merk, D.A., Rosenberry, D.O., and Winter, T.C., 1992, Climatic data for Williams Lake, Hubbard County, Minnesota 1987-88: U.S. Geological Survey Open File Report 92-475, 42p.

Sturrock, A. M., Winter, T. C., and Rosenberry, D. O., 1992, Energy-budget evaporation from Williams Lake: a closed lake in north-central Minnesota: Water Resources Research, v. 28, no. 6, p. 1605-1617.

1990

LaBaugh, J. W., 1990, Spatial and temporal variation in chemical characteristics of ground water adjacent to selected lakes and wetlands in the North-Central United States. Verhandlungen Internationale Vereinigung Limnologie, v. 24, p. 1588-1594.

1988

LaBaugh, J. W., 1988, Relation of hydrogeologic setting to chemical characteristics of selected lakes and wetlands within a climate gradient in the North-Central United States: Verhandlungen Internationale Vereinigung Limnologie. v 23, p. 131-137.

Rosenberry, D.O., Sturrock, A.M., and Winter, T.C., 1988, Climatic data for Williams Lake, Hubbard County, Minnesota, 1986: U.S. Geological Survey Open-File Report 88-304, 38-p.

Rosenberry, D.O., Sturrock, A.M., Scarborough, J.L., and Winter, T.C., 1988, Climatic data for Williams Lake, Hubbard County, Minnesota, 1982: U.S. Geological Survey Open-File Report 88-89, 46 p.

Winter, T. C., LaBaugh, J. W., and Rosenberry, D. O., 1988, Direct measurement of differences in hydraulic head between ground water and surface water using a hydraulic potentiometer: *Limnology and Oceanography*, v. 33, p. 1209-1214.

1986

Sturrock, A.M., Rosenberry, D.O., Scarborough, J.L., and Winter, T.C., 1986, Climatic data for Williams Lake, Hubbard County, Minnesota, 1984: U.S. Geological Survey Open-File Report 86-64, 63 p.

Sturrock, A.M., Rosenberry, D.O., and Winter, T.C., 1986, Climatic data for Williams Lake, Hubbard County, Minnesota, 1985: U.S. Geological Survey Open-File Report 86-607, 40 p.

1985

Taylor, W. W., LaBaugh, J. W., Freeburg, M. M., and Dowling, D. C., 1985, Fishery survey of Williams Lake, Hubbard County, Minnesota: U.S. Geological Survey Water Resources Investigations Report 84-4145, 25 p.

1984

Sturrock, A.M., Rosenberry, D.O., Engelbrecht, L.G., Gothard, W.A., and Winter, T.C., 1984, Climatic Data for Williams Lake, Hubbard County, Minnesota, 1983: U.S. Geological Survey Open-File Report 84-247, 41p.

1983

Naff, R. L., Gutjahr, A. L., 1983, Estimation of groundwater recharge parameters by time series analysis: *Water Resources Research*, Vol. 19, No. 6, p. 1531-1546.

1981

LaBaugh, J. W., Groschen, G. E., and Winter, T. C., 1981, Limnological and geochemical survey of Williams Lake, Hubbard County, Minnesota: U.S. Geological Survey Water Resources Investigations Report 81-41, 38 p.

1980

Siegel, D. I. and Winter, T. C., 1980, Hydrologic setting of Williams Lake, Hubbard County, Minnesota: U.S. Geol. Survey Open-File Rept. 80-403, 56 p.

Abstracts

2006

Rosenberry, D.O., Winter, T.C., and LaBaugh, J.W., 2006, Significance of ground-water exchange to wetland response during drought and deluge: Second Biennial Rocky Mountain Regional Lake and Reservoir Management Conference, Golden, Colorado, February 15-17, Meeting list of abstracts, p. 15.

2005

Person, M.A., Roy, P., Ito, E., Winter, T., Gutowski, W., Rosenberry, D., and Cohen, D., 2005, Hydrologic response of the Crow Wing watershed, Minnesota, to mid-Holocene climate change: Geological Society of America, Salt Lake City, Utah, October 16-19, 2005, GSA Abstracts with Program, paper 105-8.

Rosenberry, D.O., 2005, Wetland hydrology related to climate and geology -- prairie-potholes in North Dakota vs. the Minnesota northern lakes region: Wetland Delineators Association, St. Paul, Minnesota, February 2.

Winter, T.C., Rosenberry, D.O., Kelly, E., LaBaugh, J.W., 2005, Comparison of wetlands in different hydrogeologic settings under conditions of extreme climate variability: International Association of Hydrological Sciences VIIth Scientific Assembly, Foz do Iguacu, Brazil, April 3-9, 2005.

2004

Rosenberry, D.O., Duff, J.H., and Triska, F.J., 2004, Influence of ground-water discharge on habitat stability in the Shingobee River headwaters area, north-central Minnesota: Society of Wetland Scientists 25th Anniversary Meeting, Seattle, WA, July 18-23, 2004, Meeting list of abstracts, p. 81-82.

2003

Dean, W.E., Rosenberry, D.O., and Winter, T.C., 2003, The significance of ground water to the accumulation of iron and manganese in the sediments of two hydrologically distinct lakes in Minnesota: a geological perspective: American Society of Limnology and Oceanography Annual Winter Meeting, Salt Lake City, Utah, February 8-14, 2003, meeting list of abstracts.

Prasenjit, R., Person, M.A., Zabielski, V., Ito, E., Dahlstrom, D., Winter, T., Rosenberry, D., Cohen, D., and Gutowski, W., 2003, The role of aquifers in paleoclimatic reconstructions of the Crow Wing Watershed: Geological Society of America, Seattle, Washington, November 2-5, 2003, GSA Abstracts with Program, Vol. 35, No. 6, paper 90-11.

2002

Rosenberry, D.O., Duff, J.H., LaBaugh, J.W., Reddy, M.M., Schuster, P.S., Striegl, R.G., Triska, F.J., Dean, W.E., and Winter, T.C., 2002, Advection at the sediment-water interface affects the hydrology, geochemistry, and ecology of the Shingobee River watershed, northern Minnesota: annual meeting of the Geological Society of America, Denver, Colorado, October 27-30, 2002, GSA Abstracts with Program, paper 20-4.

Sheibley, R.W., Jackman, A.P., Duff, J.H., and Triska, F.J., 2002, Nitrification-denitrification coupling in the hyporheic zone of the Shingobee River, MN: estimating kinetic parameters and temperature dependence using perfusion cores: Annual Meeting, North American Benthological Society, Pittsburgh, Pennsylvania, May 28-June 1, 2002.

Tian, J., Nelson, D, Hu, F.S., Brown, T.A., Stefanova, I, and Wright, H.E. Jr., 2002, Mid-Holocene climatic variations in the mid-continent of North America: multi-proxy analyses of sediments from two Minnesota lakes: annual meeting of the Geological Society of America, Denver, Colorado, October 27-30, 2002, GSA Abstracts with Program, paper 86-10.

2001

Duff, J.H., Hendricks, S.P., Jackman, A.P., and Triska, F.J., 2001, Porewater solute chemistry and sediment microbial respiration beneath an Elodea bed from a sand and gravel bottom stream in north central Minnesota, USA, XXVIII SIL Congress, Melbourne, Australia, February 03 - February 08.

- Duff, J.H., Jackman, A.P., Sheibley III, R.W., and Triska, F.J., 2001, A comparison of four approaches for estimating nitrification and denitrification in sediments from the Shingobee River, north central Minnesota. Annual Meeting, American Society of Limnology and Oceanography, Albuquerque, NM, February 12 - February 16.
- Duff, J.H., Sheibley III, R.W., Jackman, A.P., and Triska, F.J., 2001, Four approaches are compared for estimating nitrification and denitrification in sediments from the Shingobee River, north central Minnesota. Annual Meeting, North American Benthological Society, La Crosse, WI, June 4 - June 8.
- Duff, J.H., Sheibley III, R.W., Avanzino, R.J., Triska, F.J., and Jackman, A.P. 2001, Coupled nitrification-denitrification in a groundwater dominated stream in north central Minnesota. Annual Meeting, American Geophysical Union, Spring Meeting, Boston, MA, May 29 - June 2.
- Rosenberry, D.O., 2001, Management implications related to the quantification of flows between ground water and surface water, talk to cooperators of the Minnesota District office, Mounds View, MN, January 15, 2001.
- Rosenberry, D.O., 2001, Ground-water surface-water interaction in Minnesota - new tools, new understanding, Minnesota Ground Water Association Spring Conference, St. Paul, Minnesota, April 10, 2001.
- Sheibley III, R.W., Jackman, A.P. Duff, J.H., and Triska, F.J., 2001, Integrating hyporheic zone hydrology and biology with perfusion cores: Inorganic N transformations in Shingobee River sediments, MN. Annual Meeting, North American Benthological Society, La Crosse, WI, June 4 - June 8.
- Triska, F.J., Jackman, A.P., Duff, J.H., and Avanzino, R.J., 2001, Sources and fates of nutrients contributed by -old- and -new- groundwater to the Shingobee River MN, USA., XXVIII SIL Congress, Melbourne, Australia, February 03 - February 08.

2000

- Duff, J.H., Triska, F.J. Avanzino, R.J., Jackman, A.P. and Sheibley III, R.W., 2000, Ammonification, nitrification, and denitrification in Shingobee River sediments, Minnesota: their combined affect on seasonal surface water chemistry. Annual Meeting, North American Benthological Society, Keystone, CO, May 28 - June 01.
- Reddy, M.M., Schuster, P.F., LaBaugh, J.W., Rosenberry, D.O., Winter, T.C., and Parkhurst, R., 2000, Interactions of lake and groundwater in the littoral zone of a closed-basin lake

in north-central Minnesota, USA: annual meeting of American Society of Limnology and Oceanography, Copenhagen, June 5-9, 2000, poster SS-40-20.

Rosenberry, D.O., 2000, Evidence for unsaturated zones beneath lakes and wetlands: annual meeting of the Geological Society of America, Reno, NV, November 12-16, 2000, GSA Abstracts with Program, p. 59.

Rosenberry, D.O., Winter, T.C., LaBaugh, J.W. and Walker, J.F., 2000, Watershed-scale hydrologic research across a climatic gradient: an inter-site comparison from four research watersheds in the north central United States: Fall meeting of the American Geophysical Union, San Francisco, CA, December 15-19, 2000, supplement to Eos, vol. 81, no. 48, p. F421.

Triska, F.J, Jackman, A.P., and Duff, J.H., 2000, Determining the transport and retention of nitrate in riparian groundwater of the Shingobee River, MN, USA. Annual Meeting, North American Benthological Society, Keystone, CO, May 28 - June 01.

1999

Duff, J.H., Aiken, G.H., Jackman, A.P., Sheibley III, R.W., and Triska, F.J., 1999, The influence of fluvial system and groundwater discharge on DOC concentration and composition in the Shingobee River, Minnesota. Annual Meeting of the American Society of Limnology and Oceanography, Santa Fe, NM, February 1 - February 5.

Duff, J.H., Toner, B., Jackman, A.P. and Triska, F.J., 1999, Determination of groundwater discharge into a sand and gravel bottom stream in north central Minnesota, USA: a comparison of chloride dilution and seepage meter techniques, 47th Annual Meeting of the North American Benthological Society, Duluth, Minnesota, May 25-28, 1999, Bulletin of NABS, vol. 16, p. 130.

Duff, J.H., Aiken, G.H., Jackman, A.P., Triska, F.J., and Hendricks, S.P., 1999, Sources and quality of dissolved organic carbon in the Shingobee River, Minnesota: Implications for microbial utilization. Fourth International Symposium on Subsurface Microbiology, August 22-27, Vail, CO.

LaBaugh, J.W., Winter, T.C. and Rosenberry, D.O., 1999, The role of hydrological processes in determining the water-budget and geochemical characteristics of wetlands: annual meeting of the Geological Society of America, Denver, CO, October 25-28, 1999, GSA Abstracts with Programs, Vol. 31, No. 7, p. A494.

Rosenberry, D.O., 1999, Recent research results from the Interdisciplinary Research Initiative, Minnesota Pollution Control Agency wetlands workshop, St. Paul, MN, February 17.

- Rosenberry, D.O., 1999, The Interdisciplinary Research Initiative -- research goings on in your own backyard, Brown-bag seminar to the WRD MN District office, Mounds View, MN,
- Schuster, P.F., Reddy, M.M., and Rosenberry, D.O., 1999, Interactions of lake and groundwater in the littoral zone of a closed-basin lake in north-central Minnesota: annual meeting of the Geological Society of America, Denver, CO, October 25-28, 1999, GSA Abstracts with Programs, Vol. 31, No. 7, p. A328. February 17.
- Schuster, P.F., Reddy, M.M., and Rosenberry, D.O., 1999, Interactions of lake and groundwater in the littoral zone of a closed-basin lake in north-central Minnesota: annual meeting of the Geological Society of America, Denver, CO, October 25-28, 1999, GSA Abstracts with Programs, Vol. 31, No. 7, p. A328. February 17.
- Sheibley III, R. W., Jackman, A.P., Duff, J.H and Triska, F.J. 1999, Inorganic N Flux in Sediment Perfusion Cores From the Hyporheic Zone. Annual Meeting of the American Society of Limnology and Oceanography, Santa Fe, NM, February 1-February 5.
- Sheibley, R.W., Jackman, A.P., Duff, J.H., and Triska, F.J., 1999, Potential nitrification--denitrification coupling in sediment perfusion cores from the hyporheic zone of the Shingobee River, Minnesota: 47th Annual Meeting of the North American Benthological Society, Duluth, Minnesota, May 25-28, 1999, Bulletin of NABS, vol. 16, p. 124.
- Triska, F.J., Jackman, A.P., Duff, J.H. and Avanzino, R.J., 1999, Impact of beaver dams on surface and subsurface transport and transformation of dissolved inorganic nitrogen (DIN): Shingobee River, Minnesota, USA: 47th Annual Meeting of the North American Benthological Society, Duluth, Minnesota, May 25-28, 1999, Bulletin of NABS, vol. 16, p. 146.
- Triska, F.J., Jackman, A.P., Duff, J.H., and Avanzino, R.J., 1999, Impact of beaver dams on transport and transformation of dissolved inorganic nitrogen (DIN) in surface and pore water: Shingobee River, MN, USA. Annual Meeting of the American Society of Limnology and Oceanography, Santa Fe, NM, February 1 - February 5, 1999.
- Triska, F.J., Duff, J.H., Avanzino, R.J. and Jackman, A.P., 1999, Interaction of surface water and groundwater in sediments of an upland, coarse-bed and a lowland, sand-bed stream: magnitude of exchange and implications for N-biogeochemistry: annual meeting of the Geological Society of America, Denver, CO, October 25-28, 1999, GSA Abstracts with Programs, Vol. 31, No. 7, p. A329.

1998

- Toft, B., Aus, A., Ricke, M., Davis, D., Moseman, S., Annexstad J. and Melchior, R., 1998, Examination of Middle Wisconsinan Glacial Deposits for the possible occurrence of Magnetic Spherules: Lunar and Planetary Science Conference, March, 1998.
- Duff, J.H., Toner, B., Jackman, A.P. and Triska, F.J., 1998, Estimating groundwater discharge to a sand and gravel bottom stream in north central Minnesota, USA: Comparison of chloride dilution and seepage meter techniques, XXVII SIL Congress, Dublin, Ireland, August 12-16.
- LaBaugh, J.W., Rosenberry, D. O., and Winter, T.C., 1998, Comparison of ground water-surface water interaction and chemical fluxes in lakes and wetlands in central North America, 1978 to 1997: XXVII Congress of Societas Internationalis Limnologie, Dublin, Ireland, August 10-14, 1998.
- Triska, F.J., Jackman, A.P., Duff, J.H. and Avanzino, R.J., 1998, Mixing of surface and subsurface waters beneath a relict beaver dam and its impact on DIN composition: Shingobee River, Minnesota, USA, XXVII SIL Congress, Dublin, Ireland, August 12 - 16.

1997

- Dean, W.E., and Schwalb, A., 1997, Carbonate, organic carbon, and isotopic evidence for progressive hydrologic closing of a Minnesota lake during the early Holocene: Annual Fall meeting of the American Geophysical Union, San Francisco, CA, December 8-12, Supplement to Eos, v. 78, no. 46, p. F301.
- Duff, J.H., Triska, F.J., Avanzino, R.J. and Jackman, A.P., 1997, Linking hydrologic transport to DIN flux at the stream-hyporheic interface, Annual Meeting, American Society of Limnology and Oceanography, Santa Fe, NM, February 10 - 14, 1997, Meeting list of abstracts.
- Rosenberry, D.O., 1997, Marsh marigold as an indicator of focused ground-water discharge to a northern Minnesota lake, stream and fen: Annual meeting of the Society of Wetland Scientists, Bozeman, Montana, June 1-6, 1997, p. 107.
- Triska, F.J., Jackman, A.P., Duff, J.H. and Avanzino, R.J., 1997, Spatial and temporal variation in hyporheic water chemistry of a sand bed stream, Annual Meeting, American Society of Limnology and Oceanography, Santa Fe, NM, February 10 - 14.
- Triska, F.J., Duff, J.H., Jackman, A.P. and Avanzino, R.J., 1997, Spatial and temporal patterns of hydrologic exchange and their impact on hyporheic solute chemistry in a sand-bed stream: Shingobee River, Minnesota, Annual Meeting, National Groundwater Association, Las Vegas, NV, September.

1996

- Duff, J.H., Murphy, F., Triska, F.J. and Jackman, A.P., 1996, An inexpensive MINIPOINT piezometer for measuring high resolution geochemical gradients in a sand-bottom streambed in north central Minnesota, Annual Meeting, American Geophysical Union, Fall Meeting, San Francisco, CA, December 15-19.
- Rosenberry, D.O., 1996, Paired-lake research on a watershed scale: the Interdisciplinary Research Initiative: annual meeting of the North American Lake Management Society, Minneapolis, Minnesota, November 13-16, 1996, p. 113.
- Rosenberry, D.O., 1996, Biological Indicators of Focused Ground-Water Discharge to a Northern Minnesota Lake: Fall meeting of the American Geophysical Union, San Francisco, California, December 15-19, 1996, supplement to Eos, v 77, no. 46, p. F266.
- Triska, F.J., Duff, J.H., and Jackman, A.P., 1996, Physical, chemical and biological controls of nitrogen transport through channel, riparian and hyporheic environments, Chapman Conference: Nitrogen cycling in forested catchments, Sunriver, OR, September 16 -20.

1995

- Duff, J. H. and Triska, F. J., 1995, Inorganic nitrogen transformation rates at the sediment-stream water interface in the Shingobee River, north central, Minnesota, North American Benthological Society, Keystone, CO, May 30 - June 2.
- LaBaugh, J.W., Winter, T.C. and Rosenberry, D.O., 1995, Comparison of solute sources to lakes and wetlands in forested and prairie ecosystems: Fall meeting of the American Geophysical Union, San Francisco, California, December 11-15, 1995, supplement to Eos.
- Triska, F. J., Duff, J. H., 1995, Microbial nutrient transformations in fluvial systems, Annual Meeting, North American Benthological Society, Keystone, CO, May 30 - June 2.
- Triska, F. J., Duff, J. H., and Avanzino, R. J., 1995, Hydrologic exchange between streams and hyporheic environments. Annual Meeting, American Geophysical Union, Fifteenth Annual.
- Winter, T.C. and Rosenberry, D.O., 1995, Comparison of the effects of climate variability on prairie pothole wetlands in North Dakota and a forested fen in Minnesota: Annual Meeting, Geological Society of America, New Orleans, Louisiana, GSA abstracts with program. Hydrology Days, Fort Collins, CO. April 3-7.

1994

- Anderson, D.E., Striegl, R.G., and Stannard, D.I., 1994, Direct measurement of atmosphere-lake exchanges of CO₂, water vapor and sensible heat: American Society of Limnology and Oceanography/North American Benthological Society joint symposium on Regional Assessment of Freshwater Ecosystems and Climate Change in North America, Leesburg, Virginia, October 24-26, 1994.
- Carter, V., Gammon, P.T., and Rybicki, N.B., 1994, Vegetation and stratigraphy of Little Shingobee Fen, Minnesota: Annual meeting of the Society of Wetland Scientists, Portland, Oregon, May 30-June 3, 1994, p. 106.
- Duff, J. H., and Triska, F. J., 1994, The relationship of hydraulic gradients to solute and nutrient profiles in a sand-bottom stream in north central Minnesota: Implications for sediment associated microbial implications for sediment associated microbial processes. Annual meeting, North American Benthological Society, Orlando, FL, May 24-27.
- Duff, J.H., Triska, F.J. and Jackman, A.P., 1994, Detailed vertical sampling using a mini-piezometer and microelectrodes in a sand-and gravel-bottomed stream: American Geophysical Union Ocean Sciences Meeting, San Diego, CA, February 21-25, 1994, Supplement to Eos, v. 75, no. 3, p. 37.
- Duff, J.H., Triska, F.J. and Jackman, F., 1994, The role of hydrologic vs. biologic components controlling ammonium flux across the sediment-water interface in the Shingobee River, north central Minnesota: Society of Wetland Scientists Meeting, Portland, OR, May 30-June 3, 1994, p. 31.
- Duff, J.H., Triska, F.J. and Jackman, F., 1994, Hydrologic and biologic control of ammonium flux across the sediment-water interface in the Shingobee River: Fall AGU, San Francisco, CA, December 5-9, 1994, Supplement to Eos, v 75, no. 44, p. 261.
- Hill, M.C., 1994, Focused ground-water flow to a stream: Fall AGU, San Francisco, CA, December 5-9, 1994, Supplement to Eos, v 75, no. 44, p. 261.
- Locke, S., 1994, Holocene paleohydrology of Williams and Shingobee Lakes: implications for regional fen development: Annual meeting of the Society of Wetland Scientists, Portland, Oregon, May 30-June 3, 1994, p. 106.
- McConnaughey, T.A. and Carter, V.P., 1994, Marl precipitation promotes summertime photosynthesis in a groundwater-fed lake: Annual meeting of the Society of Wetland Scientists, Portland, Oregon, May 30-June 3, 1994, p. 107.

- Puckett, L.J., Carter, V., Rosenberry, D.O., and Merk, D.A., 1994, Ground-water surface-water interactions and biogeochemistry of the Little Shingobee Fen: Annual meeting of the Society of Wetland Scientists, Portland, Oregon, May 30-June 3, 1994, p. 106.
- Reddy, M.M., Schuster, P.F., Charlton, S., Aiken, G.R., Rosenberry, D.O., LaBaugh, J.W. and Winter, T.C., 1994, Oxygen isotope variations for littoral sediment interstitial water in a topographically closed basin lake, Williams Lake, MN: American Chemical Society Spring Annual Meeting, San Diego, CA, March 13-18, 1994, v207, p. 180.
- Rosenberry, D.O., Winter, T.C., and Merk, D.A., 1994, The source of ground-water discharge to Little Shingobee Fen, Minnesota: Annual meeting of the Society of Wetland Scientists, Portland, Oregon, May 30-June 3, 1994, p. 106.
- Schwalb, A, Locke, S.M., and Dean, W.E., 1994, Ostracode and stable isotope evidence of holocene environmental changes in Minnesota lake sediments: American Quaternary Association 13th Biennial Meeting, Minneapolis, MN, June 19-22, 1994, p. 155.
- Striegl, R.G. and Michmerhuizen, C.M., 1994, Degassing of north temperate lakes following ice melt: influence of size, trophic status and setting on flux to the atmosphere: American Society of Limnology and Oceanography/North American Benthological Society joint symposium on Regional Assessment of Freshwater Ecosystems and Climate Change in North America, Leesburg, Virginia, October 24-26, 1994.
- Triska, F. J., Duff, J. H. and Avanzino, R. J., 1994, Chemical examination of a seep-stream interface of a sand channel in north central Minnesota: Solute concentration and nitrogen transformation potential. Annual Meeting, North American Benthological Society, Orlando, FL, May 24-27.
- Triska, F.J., Duff, J.H, Avanzino, R.J., and Jackman, A.P., 1994, The impact of hyporheic nitrification-denitrification on surface water DIN concentration in the Shingobee River, MN: American Geophysical Union Ocean Sciences Meeting, San Diego, CA, February 21-25, 1994, Supplement to Eos, v. 75, no. 3, p. 37.
- Triska, F. J., Avanzino, R. J., Duff, J. H. and Jackman, A. P., 1994, The influence of hyporheic microbial processes on surface water DIN in a sand and gravel-bottom stream in north central Minnesota. Workshop presentation, International Workshop on Ecology and Management of Aquatic-Terrestrial Ecotones. Man and the Biosphere (MAB) and UNESCO, Seattle, WA, February 14-19.
- Triska, F.J., Jackman, A.P., Duff, J.H, and Avanzino, R.J., 1994, The role of subchannel sediments as a nutrient sink for groundwater DIN and SRP in the Shingobee River,

Minnesota: Fall AGU, San Francisco, CA, December 5-9, 1994, Supplement to Eos, v 75, no. 44, p. 259.

1993

- Aiken, G.R., and McKnight, D., 1993, The influence of hydrologic factors on the nature of organic matter in Williams and Shingobee Lakes, Minnesota: Fall meeting of the American Geophysical Union, San Francisco, CA, December 6-10, 1993, Supplement to Eos, v 74, no. 43, p. 261.
- Anderson, D.E., Stannard, D.I., McConnaughey, T.A., and Striegl, R.G., 1993, Eddy correlation measurements of CO₂ flux from a north temperate woodland lake: American Society of Limnology and Oceanography/Society of Wetland Scientists Joint meeting, Edmondton, Alberta, May 30-June 3, 1993.
- Duff, J.H., Triska, F.J. and Jackman, A.P., 1993, The influence of groundwater discharge on stream water chemistry in a gaining stream reach: North American Benthological Society, Calgary, Alberta, Canada, May 25, 1993.
- LaBaugh, J. W., Winter, T.C., Rosenberry, D.O., Reddy, M.M. and Schuster, P.F., 1993, Joint use of physical and chemical data to enhance understanding of ground water interaction with Williams Lake, Minnesota: Fall AGU, San Francisco, CA, December 6-10, 1993.
- Locke, S.M, 1993, Paleohydrologic reconstructions from an analytic-element groundwater model: method testing and results for the mid-holocene in north-central Minnesota: Fall AGU, San Francisco, CA, December 6-10, 1993, Supplement to Eos, v 74, no. 43, p. 332. Supplement to Eos, v 74, no. 43, p. 332.
- McConnaughey, T.A., LaBaugh, J.W., Striegl, R.G., 1993, Hard water, easy solutions to carbon dioxide depletion: American Society of Limnology and Oceanography/Society of Wetland Scientists Joint meeting, Edmondton, Alberta, May 30-June 3, 1993.
- Reddy, M.M., Schuster, P.F., Charlton, S., Aiken, G.R., Rosenberry, D.O., LaBaugh, J.W. and Winter, T.C., 1993, Oxygen isotope variations for littoral sediment interstitial water in a topographically closed basin lake, Williams Lake, MN: Fall AGU, San Francisco, CA, December 6-10, 1993, Supplement to Eos, v 74, no. 43, p. 272.
- Rosenberry, D.O., 1993, Hydrologic research of Williams Lake and the Interdisciplinary Research Initiative (IRI) watershed: what have we learned?: Minnesota Lakes Association Annual Conference, Brainerd, MN, October 22-24, 1993, p. 14.

Schuster, P.F., Reddy, M.M., McConnaughey, T.A., LaBaugh, J.W., and Striegl, R.G., 1993, Calcification and photosynthesis in a groundwater-fed lake: Fall AGU, San Francisco, CA, December 6-10, 1993, Supplement to Eos, v 74, no. 43, p. 260.

1992

LaBaugh, J.W., 1992, Change in chemical characteristics of lakes and wetlands in response to change in hydrologic conditions 1979-91: American Society of Limnology and Oceanography, Santa Fe, New Mexico, February 9-14, 1992.

Locke, S.M., 1992, Postglacial history of lake-level change at Williams Lake, Minnesota: Minnesota Water '92, Minneapolis, Minnesota, February 13-14, 1992.

Locke, S.M., 1992, Application of an analytic-element groundwater model to Holocene lake levels in north-central Minnesota: American Quaternary Association 12th Biennial Meeting, Davis, California, August 26-28, 1992.

1991

LaBaugh, J. W., Rosenberry, D.O., and Winter, T.C., 1991, Surface-water discharge to ground water and its effect on ground-water temperature and chemical characteristics: Fall AGU, San Francisco, CA, December 9-13, 1991, Eos, v. 72, p. 187.

1989

LaBaugh, J. W., 1989, Spatial and temporal variation in chemical characteristics of ground water adjacent to selected lakes and wetlands in the north-central United States: XXIV Societas Internationalis Limnologiae Congress, Munich, Federal Republic of Germany, August 13-19, 1989.

Locke, S.M. and Wright, H.E., 1989, Sedimentological evidence for Holocene lake-level changes in north-central Minnesota: Geological Society of America Abstracts with Programs, vol. 21, no. 6, annual meeting, St. Louis, Missouri, November 6-9, p. 282.

1988

Winter, T. C., 1988, Comparison of hydrologic processes among major lake regions of the United States: American Society of Limnology and Oceanography, 51st Annual Meeting, Boulder, Colorado, p. 90.

Winter, T. C., 1988, Ground water-surface water relationships at Williams Lake, Minnesota: Minnesota Water, 1988 -- Statewide conference on Water Resources Issues in Minnesota, St. Paul, Minnesota, February 15-16, p. 26.

1987

LaBaugh, J. W., 1987, Chemical characteristics of ground water interacting with Williams Lake and adjacent lakes, Minnesota, 1979-86: American Society of Limnology and Oceanography, Madison, Wisconsin, June 14-18, 1987.

LaBaugh, J. W., 1987, Relation of hydrogeologic setting to chemical characteristics of selected lakes and wetlands within a climate gradient in the north-central United States: XXIII Societas Internationalis Limnologiae Congress, Hamilton, New Zealand, February 8-14, 1987.

Rosenberry, D.O., 1987, Onsite evidence of groundwater recharge focused adjacent to lakes and wetlands, Williams Lake, Minnesota: special session "Ground water-surface water interaction in wetlands", Spring meeting of the American Geophysical Union, Baltimore, Maryland, May 18-22, 1987.

Winter, T. C., 1987, Variability of seepage in lakes related to geologic setting and hydrology: American Society of Limnology and Oceanography, 50th Annual Meeting, Madison, WI, p. 46.

1985

LaBaugh, J. W., 1985, Phytoplankton response to changes in concentration of dissolved silica and phosphorus in Williams Lake Minnesota: American Society of Limnology and Oceanography, Minneapolis, Minnesota June 17-21, 1985.

Winter, T. C. and Karls, R. M., 1985, Numerical simulation of ground-water interaction with Williams Lake, Minnesota: American Society of Limnology and Oceanography, 48th Annual Meeting, Minneapolis, MN, p. 127.

Theses

O'Grady, K.M., 2006, Comparison of capillary effects on water table fluctuation under variable storativity in laboratory columns and field settings, MS thesis, University of Minnesota, 135 p.

- Kelly, E., 2004, A comparison of nutrient concentration and biological response between a closed lake and an open lake under conditions of climatic change: M.S. Thesis, University of Colorado Denver, 38 p.
- Filby, S.K., 2001, Evaluating lake levels at 6000 years before present in the Shingobee Watershed, north-central Minnesota: M.S. Thesis, University of Minnesota, 57 p.
- Neff, B.P., 2001, Analysis of factors limiting macrophyte growth near freshwater springs in a north central Minnesota lake: M.S. Thesis, University of Colorado Denver, 123 p.
- Sheibley, R.W. 2001, Nitrogen transformation kinetics in the hyporheic zone. Ph.D. Dissertation, University of California, Department of Chemical Engineering, Davis, CA., 348 p.
- Kishel, H. F., 2000, Small-scale variability of groundwater-lake interaction at Shingobee Lake, Minnesota: M.S. Thesis, University of North Dakota, 124 p.
- Yoshida, K., 1999, Impact of wastewater spray irrigation on ground water quality, Akeley, Minnesota: M.S. thesis, Bemidji State University, Bemidji, MN, 127 p.
- Kanuit, S., 1996, Determination of groundwater recharge and residence time in the Itasca moraine area, north-central Minnesota: a hydrogeochemical approach: M.S. Thesis, University of Minnesota, 85 p.
- Locke, S.M., 1995, A paleohydrologic model applied to the Holocene sediment stratigraphy of two lakes in north-central Minnesota. Ph.D. Thesis, University of Minnesota, 258 p.
- Michmerhuizen, C.M., 1995, Potential methane emission from north temperate lakes at spring ice melt: M.S. Thesis, University of Minnesota, Duluth, 134p.
- St. George, Lynette. M., 1994, A landform-based approach to the quantification of recharge in a complex glacial sedimentary setting: the Itasca moraine, northwestern Minnesota. M.S. Thesis, University of Minnesota, Duluth, 109 p.
- Allen, T.R., 1991, A statistical analysis of the fixed and dynamic boundaries of the groundwater flow system at Williams Lake, Hubbard County, Minnesota: M.S. thesis, University of Colorado, Denver, 87 p.
- Rosenberry, D.O., 1985, Factors contributing to the formation of transient water-table mounds on the outflow side of a seepage lake, Williams Lake, Central Minnesota: M.S. thesis, University of Minnesota, Minneapolis, 127 p.

- Seaberg, J. K., 1985, Geohydrologic interpretation of glacial geology near Williams Lake, Central Minnesota, with emphasis on lake-groundwater interaction: M.S. thesis, University of Minnesota, Minneapolis, 141 p.
- Karls, R. M., 1982, A ground water model of the Williams Lake Watershed, Hubbard County, MN: M.S. thesis, University of Arizona, Tucson, 93 p.
- Erickson, D. R., 1981, A study of littoral groundwater seepage at Williams Lake, Minnesota using seepage meters and wells: M.S. thesis, University of Minnesota, Minneapolis, 135 p.
- Groschen, G. E., 1981, Geochemistry of Williams Lake, Hubbard County, Minnesota: M.S. thesis, University of Minnesota, Minneapolis, 136 p.